Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
/100 /100	2	("6356880").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 08:58
S1	47234	WBS or "work breakdown structure"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 08:5
S2	6365	S1 and (OBS or "object breakdown structure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 09:0
S3	0	S2 and 705/7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 09:0
S4	2244	705/7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 09:0
S5	0	S4 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 09:0
CM1 (10	S2 and (customer or client) and management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 09:0
so ann title	129 5	S2 and (customer or client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 09:1

s8) The	65	"work breakdown structure" and (customer or client or consumer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 09:44
s9 read	5	(("6073107") or ("6292830")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 09:45
510 Y.W.	13	(("6754677") or ("6115642") or ("5923552") or ("5563994") or ("6370562") or ("6212549") or ("5548506") or ("re38633")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 09:54
S11 Veal	3	S10 and hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:01
s12	3	("6292830").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 12:36
513	2	("5748954").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 12:41
514 120	4	(("5748954") or ("6006195")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 12:46
\$15 \ \read\	2.	("6356880").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:46

S16 \	1	"984347".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2005/12/01 14:25
			DERWENT; IBM_TDB			